	Application No.	Applicant(s)
Notice of Allowability	10/736,396	BRICKNER ET AL.
	Examiner	Art Unit
	Meredith C. Petravick	3671
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. ☑ This communication is responsive to <u>an amendment filed on 9/15/2005</u> .		
2. The allowed claim(s) is/are <u>1-8,12 and 13</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 		
Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)		Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	 Interview Summary Paper No./Mail Da 	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08		ment/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. 🗌 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	

Art Unit: 3671

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with William Beckman on 11/29/05.

The application has been amended as follows:

In the specification, paragraph 2, line 3, "extending" was replaced with –extend--. In the specification, paragraph 2, line 4, "retracting" was replaced with –retracted-

In the specification, paragraph 12, line 1, "200" was deleted.

In the specification, paragraph 12, line 6, "200" was deleted.

In the specification, paragraph 12, line 8, "200" was deleted.

In the specification, paragraph 21, line 1, "200" was deleted.

In claim 1, line 11, "said boom command signal and said stick command signal" was replaced with – said boom command signal, said stick command signal--.

In claim 8, line 10, "said boom command signal and said stick command signal" was replaced with – said boom command signal, said stick command signal--.

2. In view of the papers filed 9/27/2004, it has been found that this nonprovisional application, as filed, through error and without deceptive intent, improperly set forth the

Application/Control Number: 10/736,396

Art Unit: 3671

inventorship, and accordingly, this application has been corrected in compliance with 37 CFR 1.48(a). The inventorship of this application has been changed by the addition of Roger D. Koch.

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Meredith C. Petravick whose telephone number is 571-272-6995. The examiner can normally be reached on M-T 8:00 a.m.- 5:00 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas B. Will can be reached on 571-272-6998. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Meredith C Petravick Primary Examiner Art Unit 3671

November 28, 2005